




WDRIVE BOOSTERS

Built-on VFD Driven, Booster
Package Sets





EBITT was born from “an idea” and turned into “an ideal”

EBITT is a specialized organization with deep expertise in pump and fluid technologies, capable of accurately interpreting both Turkish and global market demands and translating them into the right solutions.

Founded to be the ideal intersection of supply and demand in fluid technologies, EBITT goes beyond developing and marketing products. It represents a holistic business model built to meet expectations at the highest level.

More than a company, EBITT is a perspective, a system, and a spirit. Its foundation is human capital and accumulated expertise, transferred sustainably like a relay race rather than treated as a traditional capital asset.

For EBITT, innovation is not limited to technological advancement. It is a creative, value-driven approach that prioritizes responsibility, customer expectations, business efficiency, and uncompromising standards for health and safety. Every innovation emerges from this integrated understanding.

Quality, for EBITT, is a non-negotiable standard in all areas involving water and fluids—throughout life. Together with its suppliers, customers, and team members who share this philosophy, EBITT builds long-term, sustainable win-win relationships.


With this mindset, EBITT offers a wide range of products and systems, from basic solutions to process-specific equipment, serving residential, industrial, agricultural, irrigation, pool, treatment, and specialized applications. Beyond standard products, EBITT also delivers tailor-made solutions that maximize added value.

EBITT believes the ideal solution is not always the most expensive one, but the most rational—optimizing needs in the most efficient way.

Positioning itself as a trusted solution provider, EBITT stands out with its values, flexibility, and dynamic structure, ready to respond to evolving demands.

WDRIVE BOOSTERS

BUILT-ON VFD DRIVEN, BOOSTER PACKAGE SETS



WDRIVE BOOSTERS

- WDRIVE units assembled pumps are on a common base plate.
- Each pump has its own built on inverter.
- Each pump has its own valves and check valves
- Pressure sensor, monometer, and dry run protection included.
- Main pipe size $\leq 3"$ manifolds are in stainless steel, others in steel with epoxy painting.

Model	Phase	Voltage (V)	Motor Power		Flow (m ³ /h)	Operating Pressure (mWC)	Diameter of Manifold	
			kW	HP			Suction	Discharge
WDRIVE-1 MVS 404/0,75	3	400	0,75	1	5	27	1 1/4"	1 1/4"
WDRIVE-1 MVS 405/1,1	3	400	1,1	1,5	5	34	1 1/4"	1 1/4"
WDRIVE-1 MVS 406/1,1	3	400	1,1	1,5	5	41	1 1/4"	1 1/4"
WDRIVE-1 MVS 407/1,5	3	400	1,5	2	5	48	1 1/4"	1 1/4"
WDRIVE-1 MVS 408/1,5	3	400	1,5	2	5	55	1 1/4"	1 1/4"
WDRIVE-1 MVS 410/2,2	3	400	2,2	3	5	71	1 1/4"	1 1/4"
WDRIVE-1 MVS 412/2,2	3	400	2,2	3	5	85	1 1/4"	1 1/4"
WDRIVE-1 MVS 414/3	3	400	3	4	5	101	1 1/4"	1 1/4"
WDRIVE-1 MVS 416/3	3	400	3	4	5	115	1 1/4"	1 1/4"
WDRIVE-1 MVS 419/4	3	400	4	5,5	5	137	1 1/4"	1 1/4"
WDRIVE-1 MVS 422/4	3	400	4	5,5	5	160	1 1/4"	1 1/4"

WDRIVE-1 MVS 1003/1,1	3	400	1,1	1,5	10	23	2"	2"
WDRIVE-1 MVS 1004/1,5	3	400	1,5	2	10	31	2"	2"
WDRIVE-1 MVS 1005/2,2	3	400	2,2	3	10	39	2"	2"
WDRIVE-1 MVS 1006/2,2	3	400	2,2	3	10	48	2"	2"
WDRIVE-1 MVS 1007/3	3	400	3	4	10	56	2"	2"
WDRIVE-1 MVS 1008/3	3	400	3	4	10	64	2"	2"
WDRIVE-1 MVS 1009/3	3	400	3	4	10	72	2"	2"
WDRIVE-1 MVS 1010/4	3	400	4	5,5	10	80	2"	2"
WDRIVE-1 MVS 1012/4	3	400	4	5,5	10	96	2"	2"
WDRIVE-1 MVS 1014/5,5	3	400	5,5	7,5	10	113	2"	2"
WDRIVE-1 MVS 1016/5,5	3	400	5,5	7,5	10	129	2"	2"
WDRIVE-1 MVS 1018/7,5	3	400	7,5	10	10	145	2"	2"
WDRIVE-1 MVS 1020/7,5	3	400	7,5	10	10	162	2"	2"
WDRIVE-1 MVS 1022/7,5	3	400	7,5	10	10	178	2"	2"

WDRIVE-1 MVS 1603/3	3	400	3	4	18	32	2"	2"
WDRIVE-1 MVS 1604/4	3	400	4	5,5	18	43	2"	2"
WDRIVE-1 MVS 1605/5,5	3	400	5,5	7,5	18	54	2"	2"
WDRIVE-1 MVS 1606/5,5	3	400	5,5	7,5	18	64	2"	2"
WDRIVE-1 MVS 1607/7,5	3	400	7,5	10	18	76	2"	2"
WDRIVE-1 MVS 1608/7,5	3	400	7,5	10	18	86	2"	2"
WDRIVE-1 MVS 1610/11	3	400	11	15	18	109	2"	2"
WDRIVE-1 MVS 1612/11	3	400	11	15	18	130	2"	2"
WDRIVE-1 MVS 1614/15	3	400	15	20	18	152	2"	2"
WDRIVE-1 MVS 1616/15	3	400	15	20	18	174	2"	2"

Model	Phase	Voltage (V)	Motor Power		Flow (m³/h)	Operating Pressure (mWC)	Diameter of Manifold	
			kW	HP			Suction	Discharge
WDRIVE-1 MVS 2003/4	3	400	4	5,5	20	35	2"	2"
WDRIVE-1 MVS 2004/5,5	3	400	5,5	7,5	20	47	2"	2"
WDRIVE-1 MVS 2005/5,5	3	400	5,5	7,5	20	58	2"	2"
WDRIVE-1 MVS 2006/7,5	3	400	7,5	10	20	70	2"	2"
WDRIVE-1 MVS 2007/7,5	3	400	7,5	10	20	82	2"	2"
WDRIVE-1 MVS 2008/11	3	400	11	15	20	94	2"	2"
WDRIVE-1 MVS 2010/11	3	400	11	15	20	118	2"	2"
WDRIVE-1 MVS 2012/15	3	400	15	20	20	142	2"	2"
WDRIVE-1 MVS 2014/15	3	400	15	20	20	166	2"	2"

WDRIVE-1 MVS 3202/4	3	400	4	5,5	32	27	DN65	DN65
WDRIVE-1 MVS 3203/5,5	3	400	5,5	7,5	32	40	DN65	DN65
WDRIVE-1 MVS 3204/7,5	3	400	7,5	10	32	53	DN65	DN65
WDRIVE-1 MVS 3205/11	3	400	11	15	32	67	DN65	DN65
WDRIVE-1 MVS 3206/11	3	400	11	15	32	81	DN65	DN65
WDRIVE-1 MVS 3207/15	3	400	15	20	32	95	DN65	DN65
WDRIVE-1 MVS 3208/15	3	400	15	20	32	109	DN65	DN65

WDRIVE-1 MVS 4202B/5,5	3	400	5,5	7,5	45	30	DN80	DN80
WDRIVE-1 MVS 4202/7,5	3	400	7,5	10	45	39	DN80	DN80
WDRIVE-1 MVS 4203/11	3	400	11	15	45	58	DN80	DN80
WDRIVE-1 MVS 4204/15	3	400	15	20	45	78	DN80	DN80

WDRIVE-1 MVS 6502B/7,5	3	400	7,5	10	65	26	DN100	DN100
WDRIVE-1 MVS 6502/11	3	400	11	15	65	40	DN100	DN100
WDRIVE-1 MVS 6503B/15	3	400	15	20	65	53	DN100	DN100

WDRIVE-1 MVS 8502B/11	3	400	11	15	90	28	DN100	DN100
WDRIVE-1 MVS 8502/15	3	400	15	20	90	40	DN100	DN100

WDRIVE-2 MVS 404/0,75	3	400	2 x 0,75	2 x 1	2 x 5	27	2"	2"
WDRIVE-2 MVS 405/1,1	3	400	2 x 1,1	2 x 1,5	2 x 5	34	2"	2"
WDRIVE-2 MVS 406/1,1	3	400	2 x 1,1	2 x 1,5	2 x 5	41	2"	2"
WDRIVE-2 MVS 407/1,5	3	400	2 x 1,5	2 x 2	2 x 5	48	2"	2"
WDRIVE-2 MVS 408/1,5	3	400	2 x 1,5	2 x 2	2 x 5	55	2"	2"
WDRIVE-2 MVS 410/2,2	3	400	2 x 2,2	2 x 3	2 x 5	71	2"	2"
WDRIVE-2 MVS 412/2,2	3	400	2 x 2,2	2 x 3	2 x 5	85	2"	2"
WDRIVE-2 MVS 414/3	3	400	2 x 3	2 x 4	2 x 5	101	2"	2"
WDRIVE-2 MVS 416/3	3	400	2 x 3	2 x 4	2 x 5	115	2"	2"
WDRIVE-2 MVS 419/4	3	400	2 x 4	2 x 5,5	2 x 5	137	2"	2"
WDRIVE-2 MVS 422/4	3	400	2 x 4	2 x 5,5	2 x 5	160	2"	2"

Model	Phase	Voltage (V)	Motor Power		Flow (m³/h)	Operating Pressure (mWC)	Diameter of Manifold	
			kW	HP			Suction	Discharge
WDRIVE-2 MVS 1003/1,1	3	400	2 x 1,1	2 x 1,5	2 x 10	23	2 1/2"	2 1/2"
WDRIVE-2 MVS 1004/1,5	3	400	2 x 1,5	2 x 2	2 x 10	31	2 1/2"	2 1/2"
WDRIVE-2 MVS 1005/2,2	3	400	2 x 2,2	2 x 3	2 x 10	39	2 1/2"	2 1/2"
WDRIVE-2 MVS 1006/2,2	3	400	2 x 2,2	2 x 3	2 x 10	48	2 1/2"	2 1/2"
WDRIVE-2 MVS 1007/3	3	400	2 x 3	2 x 4	2 x 10	56	2 1/2"	2 1/2"
WDRIVE-2 MVS 1008/3	3	400	2 x 3	2 x 4	2 x 10	64	2 1/2"	2 1/2"
WDRIVE-2 MVS 1009/3	3	400	2 x 3	2 x 4	2 x 10	72	2 1/2"	2 1/2"
WDRIVE-2 MVS 1010/4	3	400	2 x 4	2 x 5,5	2 x 10	80	2 1/2"	2 1/2"
WDRIVE-2 MVS 1012/4	3	400	2 x 4	2 x 5,5	2 x 10	96	2 1/2"	2 1/2"
WDRIVE-2 MVS 1014/5,5	3	400	2 x 5,5	2 x 7,5	2 x 10	113	2 1/2"	2 1/2"
WDRIVE-2 MVS 1016/5,5	3	400	2 x 5,5	2 x 7,5	2 x 10	129	2 1/2"	2 1/2"
WDRIVE-2 MVS 1018/7,5	3	400	2 x 7,5	2 x 10	2 x 10	145	2 1/2"	2 1/2"
WDRIVE-2 MVS 1020/7,5	3	400	2 x 7,5	2 x 10	2 x 10	162	2 1/2"	2 1/2"
WDRIVE-2 MVS 1022/7,5	3	400	2 x 7,5	2 x 10	2 x 10	178	2 1/2"	2 1/2"

WDRIVE-2 MVS 1603/3	3	400	2 x 3	2 x 4	2 x 18	32	2 1/2"	2 1/2"
WDRIVE-2 MVS 1604/4	3	400	2 x 4	2 x 5,5	2 x 18	43	2 1/2"	2 1/2"
WDRIVE-2 MVS 1605/5,5	3	400	2 x 5,5	2 x 7,5	2 x 18	54	2 1/2"	2 1/2"
WDRIVE-2 MVS 1606/5,5	3	400	2 x 5,5	2 x 7,5	2 x 18	64	2 1/2"	2 1/2"
WDRIVE-2 MVS 1607/7,5	3	400	2 x 7,5	2 x 10	2 x 18	76	2 1/2"	2 1/2"
WDRIVE-2 MVS 1608/7,5	3	400	2 x 7,5	2 x 10	2 x 18	86	2 1/2"	2 1/2"
WDRIVE-2 MVS 1610/11	3	400	2 x 11	2 x 15	2 x 18	109	2 1/2"	2 1/2"
WDRIVE-2 MVS 1612/11	3	400	2 x 11	2 x 15	2 x 18	130	2 1/2"	2 1/2"
WDRIVE-2 MVS 1614/15	3	400	2 x 15	2 x 20	2 x 18	152	2 1/2"	2 1/2"
WDRIVE-2 MVS 1616/15	3	400	2 x 15	2 x 20	2 x 18	174	2 1/2"	2 1/2"

WDRIVE-2 MVS 2003/4	3	400	2 x 4	2 x 5,5	2 x 20	35	2 1/2"	2 1/2"
WDRIVE-2 MVS 2004/5,5	3	400	2 x 5,5	2 x 7,5	2 x 20	47	2 1/2"	2 1/2"
WDRIVE-2 MVS 2005/5,5	3	400	2 x 5,5	2 x 7,5	2 x 20	58	2 1/2"	2 1/2"
WDRIVE-2 MVS 2006/7,5	3	400	2 x 7,5	2 x 10	2 x 20	70	2 1/2"	2 1/2"
WDRIVE-2 MVS 2007/7,5	3	400	2 x 7,5	2 x 10	2 x 20	82	2 1/2"	2 1/2"
WDRIVE-2 MVS 2008/11	3	400	2 x 11	2 x 15	2 x 20	94	2 1/2"	2 1/2"
WDRIVE-2 MVS 2010/11	3	400	2 x 11	2 x 15	2 x 20	118	2 1/2"	2 1/2"
WDRIVE-2 MVS 2012/15	3	400	2 x 15	2 x 20	2 x 20	142	2 1/2"	2 1/2"
WDRIVE-2 MVS 2014/15	3	400	2 x 15	2 x 20	2 x 20	166	2 1/2"	2 1/2"

WDRIVE-2 MVS 3202/4	3	400	2 x 4	2 x 5,5	2 x 32	27	DN100	DN100
WDRIVE-2 MVS 3203/5,5	3	400	2 x 5,5	2 x 7,5	2 x 32	40	DN100	DN100
WDRIVE-2 MVS 3204/7,5	3	400	2 x 7,5	2 x 10	2 x 32	53	DN100	DN100
WDRIVE-2 MVS 3205/11	3	400	2 x 11	2 x 15	2 x 32	67	DN100	DN100
WDRIVE-2 MVS 3206/11	3	400	2 x 11	2 x 15	2 x 32	81	DN100	DN100
WDRIVE-2 MVS 3207/15	3	400	2 x 15	2 x 20	2 x 32	95	DN100	DN100
WDRIVE-2 MVS 3208/15	3	400	2 x 15	2 x 20	2 x 32	109	DN100	DN100

WDRIVE-2 MVS 4202B/5,5	3	400	2 x 5,5	2 x 7,5	2 x 45	30	DN125	DN125
WDRIVE-2 MVS 4202/7,5	3	400	2 x 7,5	2 x 10	2 x 45	39	DN125	DN125
WDRIVE-2 MVS 4203/11	3	400	2 x 11	2 x 15	2 x 45	58	DN125	DN125
WDRIVE-2 MVS 4204/15	3	400	2 x 15	2 x 20	2 x 45	78	DN125	DN125

Model	Phase	Voltage (V)	Motor Power		Flow (m³/h)	Operating Pressure (mWC)	Diameter of Manifold	
			kW	HP			Suction	Discharge
WDRIVE-2 MVS 6502B/7,5	3	400	2 x 7,5	2 x 10	2 x 64	26	DN150	DN150
WDRIVE-2 MVS 6502/11	3	400	2 x 11	2 x 15	2 x 64	40	DN150	DN150
WDRIVE-2 MVS 6503B/15	3	400	2 x 15	2 x 20	2 x 64	53	DN150	DN150
WDRIVE-2 MVS 8502B/11	3	400	2 x 11	2 x 15	2 x 90	28	DN200	DN200
WDRIVE-2 MVS 8502/15	3	400	2 x 15	2 x 20	2 x 90	40	DN200	DN200
WDRIVE-3 MVS 404/0,75	3	400	3 x 0,75	3 x 1	3 x 5	27	2"	2"
WDRIVE-3 MVS 405/1,1	3	400	3 x 1,1	3 x 1,5	3 x 5	34	2"	2"
WDRIVE-3 MVS 406/1,1	3	400	3 x 1,1	3 x 1,5	3 x 5	41	2"	2"
WDRIVE-3 MVS 407/1,5	3	400	3 x 1,5	3 x 2	3 x 5	48	2"	2"
WDRIVE-3 MVS 408/1,5	3	400	3 x 1,5	3 x 2	3 x 5	55	2"	2"
WDRIVE-3 MVS 410/2,2	3	400	3 x 2,2	3 x 3	3 x 5	71	2"	2"
WDRIVE-3 MVS 412/2,2	3	400	3 x 2,2	3 x 3	3 x 5	85	2"	2"
WDRIVE-3 MVS 414/3	3	400	3 x 3	3 x 4	3 x 5	101	2"	2"
WDRIVE-3 MVS 416/3	3	400	3 x 3	3 x 4	3 x 5	115	2"	2"
WDRIVE-3 MVS 419/4	3	400	3 x 4	3 x 5,5	3 x 5	137	2"	2"
WDRIVE-3 MVS 422/4	3	400	3 x 4	3 x 5,5	3 x 5	160	2"	2"
WDRIVE-3 MVS 1003/1,1	3	400	3 x 1,1	3 x 1,5	3 x 10	23	3"	3"
WDRIVE-3 MVS 1004/1,5	3	400	3 x 1,5	3 x 2	3 x 10	31	3"	3"
WDRIVE-3 MVS 1005/2,2	3	400	3 x 2,2	3 x 3	3 x 10	39	3"	3"
WDRIVE-3 MVS 1006/2,2	3	400	3 x 2,2	3 x 3	3 x 10	48	3"	3"
WDRIVE-3 MVS 1007/3	3	400	3 x 3	3 x 4	3 x 10	56	3"	3"
WDRIVE-3 MVS 1008/3	3	400	3 x 3	3 x 4	3 x 10	64	3"	3"
WDRIVE-3 MVS 1009/3	3	400	3 x 3	3 x 4	3 x 10	72	3"	3"
WDRIVE-3 MVS 1010/4	3	400	3 x 4	3 x 5,5	3 x 10	80	3"	3"
WDRIVE-3 MVS 1012/4	3	400	3 x 4	3 x 5,5	3 x 10	96	3"	3"
WDRIVE-3 MVS 1014/5,5	3	400	3 x 5,5	3 x 7,5	3 x 10	113	3"	3"
WDRIVE-3 MVS 1016/5,5	3	400	3 x 5,5	3 x 7,5	3 x 10	129	3"	3"
WDRIVE-3 MVS 1018/7,5	3	400	3 x 7,5	3 x 10	3 x 10	145	3"	3"
WDRIVE-3 MVS 1020/7,5	3	400	3 x 7,5	3 x 10	3 x 10	162	3"	3"
WDRIVE-3 MVS 1022/7,5	3	400	3 x 7,5	3 x 10	3 x 10	178	3"	3"
WDRIVE-3 MVS 1603/3	3	400	3 x 3	3 x 4	3 x 18	32	3"	3"
WDRIVE-3 MVS 1604/4	3	400	3 x 4	3 x 5,5	3 x 18	43	3"	3"
WDRIVE-3 MVS 1605/5,5	3	400	3 x 5,5	3 x 7,5	3 x 18	54	3"	3"
WDRIVE-3 MVS 1606/5,5	3	400	3 x 5,5	3 x 7,5	3 x 18	64	3"	3"
WDRIVE-3 MVS 1607/7,5	3	400	3 x 7,5	3 x 10	3 x 18	76	3"	3"
WDRIVE-3 MVS 1608/7,5	3	400	3 x 7,5	3 x 10	3 x 18	86	3"	3"
WDRIVE-3 MVS 1610/11	3	400	3 x 11	3 x 15	3 x 18	109	3"	3"
WDRIVE-3 MVS 1612/11	3	400	3 x 11	3 x 15	3 x 18	130	3"	3"
WDRIVE-3 MVS 1614/15	3	400	3 x 15	3 x 20	3 x 18	152	3"	3"
WDRIVE-3 MVS 1616/15	3	400	3 x 15	3 x 20	3 x 18	174	3"	3"

Model	Phase	Voltage (V)	Motor Power		Flow (m³/h)	Operating Pressure (mWC)	Diameter of Manifold	
			kW	HP			Suction	Discharge
WDRIVE-3 MVS 2003/4	3	400	3 x 4	3 x 5,5	3 x 20	35	3"	3"
WDRIVE-3 MVS 2004/5,5	3	400	3 x 5,5	3 x 7,5	3 x 20	47	3"	3"
WDRIVE-3 MVS 2005/5,5	3	400	3 x 5,5	3 x 7,5	3 x 20	58	3"	3"
WDRIVE-3 MVS 2006/7,5	3	400	3 x 7,5	3 x 10	3 x 20	70	3"	3"
WDRIVE-3 MVS 2007/7,5	3	400	3 x 7,5	3 x 10	3 x 20	82	3"	3"
WDRIVE-3 MVS 2008/11	3	400	3 x 11	3 x 15	3 x 20	94	3"	3"
WDRIVE-3 MVS 2010/11	3	400	3 x 11	3 x 15	3 x 20	118	3"	3"
WDRIVE-3 MVS 2012/15	3	400	3 x 15	3 x 20	3 x 20	142	3"	3"
WDRIVE-3 MVS 2014/15	3	400	3 x 15	3 x 20	3 x 20	166	3"	3"
WDRIVE-3 MVS 3202/4	3	400	3 x 4	3 x 5,5	3 x 32	27	DN125	DN125
WDRIVE-3 MVS 3203/5,5	3	400	3 x 5,5	3 x 7,5	3 x 32	40	DN125	DN125
WDRIVE-3 MVS 3204/7,5	3	400	3 x 7,5	3 x 10	3 x 32	53	DN125	DN125
WDRIVE-3 MVS 3205/11	3	400	3 x 11	3 x 15	3 x 32	67	DN125	DN125
WDRIVE-3 MVS 3206/11	3	400	3 x 11	3 x 15	3 x 32	81	DN125	DN125
WDRIVE-3 MVS 3207/15	3	400	3 x 15	3 x 20	3 x 32	95	DN125	DN125
WDRIVE-3 MVS 3208/15	3	400	3 x 15	3 x 20	3 x 32	109	DN125	DN125
WDRIVE-3 MVS 4202B/5,5	3	400	3 x 5,5	3 x 7,5	3 x 45	30	DN150	DN150
WDRIVE-3 MVS 4202/7,5	3	400	3 x 7,5	3 x 10	3 x 45	39	DN150	DN150
WDRIVE-3 MVS 4203/11	3	400	3 x 11	3 x 15	3 x 45	58	DN150	DN150
WDRIVE-3 MVS 4204/15	3	400	3 x 15	3 x 20	3 x 45	78	DN150	DN150
WDRIVE-3 MVS 6502B/7,5	3	400	3 x 7,5	3 x 10	3 x 64	26	DN200	DN200
WDRIVE-3 MVS 6502/11	3	400	3 x 11	3 x 15	3 x 64	40	DN200	DN200
WDRIVE-3 MVS 6503B/15	3	400	3 x 15	3 x 20	3 x 64	53	DN200	DN200
WDRIVE-3 MVS 8502B/11	3	400	3 x 11	3 x 15	3 x 90	28	DN200	DN200
WDRIVE-3 MVS 8502/15	3	400	3 x 15	3 x 20	3 x 90	40	DN200	DN200
WDRIVE-4 MVS 404/0,75	3	400	4 x 0,75	4 x 1	4 x 5	27	2 1/2"	2 1/2"
WDRIVE-4 MVS 405/1,1	3	400	4 x 1,1	4 x 1,5	4 x 5	34	2 1/2"	2 1/2"
WDRIVE-4 MVS 406/1,1	3	400	4 x 1,1	4 x 1,5	4 x 5	41	2 1/2"	2 1/2"
WDRIVE-4 MVS 407/1,5	3	400	4 x 1,5	4 x 2	4 x 5	48	2 1/2"	2 1/2"
WDRIVE-4 MVS 408/1,5	3	400	4 x 1,5	4 x 2	4 x 5	55	2 1/2"	2 1/2"
WDRIVE-4 MVS 410/2,2	3	400	4 x 2,2	4 x 3	4 x 5	71	2 1/2"	2 1/2"
WDRIVE-4 MVS 412/2,2	3	400	4 x 2,2	4 x 3	4 x 5	85	2 1/2"	2 1/2"
WDRIVE-4 MVS 414/3	3	400	4 x 3	4 x 4	4 x 5	101	2 1/2"	2 1/2"
WDRIVE-4 MVS 416/3	3	400	4 x 3	4 x 4	4 x 5	115	2 1/2"	2 1/2"
WDRIVE-4 MVS 419/4	3	400	4 x 4	4 x 5,5	4 x 5	137	2 1/2"	2 1/2"
WDRIVE-4 MVS 422/4	3	400	4 x 4	4 x 5,5	4 x 5	160	2 1/2"	2 1/2"

Model	Phase	Voltage (V)	Motor Power		Flow (m³/h)	Operating Pressure (mWC)	Diameter of Manifold	
			kW	HP			Suction	Discharge
WDRIVE-4 MVS 1003/1,1	3	400	4 x 1,1	4 x 1,5	4 x 10	23	3"	3"
WDRIVE-4 MVS 1004/1,5	3	400	4 x 1,5	4 x 2	4 x 10	31	3"	3"
WDRIVE-4 MVS 1005/2,2	3	400	4 x 2,2	4 x 3	4 x 10	39	3"	3"
WDRIVE-4 MVS 1006/2,2	3	400	4 x 2,2	4 x 3	4 x 10	48	3"	3"
WDRIVE-4 MVS 1007/3	3	400	4 x 3	4 x 4	4 x 10	56	3"	3"
WDRIVE-4 MVS 1008/3	3	400	4 x 3	4 x 4	4 x 10	64	3"	3"
WDRIVE-4 MVS 1009/3	3	400	4 x 3	4 x 4	4 x 10	72	3"	3"
WDRIVE-4 MVS 1010/4	3	400	4 x 4	4 x 5,5	4 x 10	80	3"	3"
WDRIVE-4 MVS 1012/4	3	400	4 x 4	4 x 5,5	4 x 10	96	3"	3"
WDRIVE-4 MVS 1014/5,5	3	400	4 x 5,5	4 x 7,5	4 x 10	113	3"	3"
WDRIVE-4 MVS 1016/5,5	3	400	4 x 5,5	4 x 7,5	4 x 10	129	3"	3"
WDRIVE-4 MVS 1018/7,5	3	400	4 x 7,5	4 x 10	4 x 10	145	3"	3"
WDRIVE-4 MVS 1020/7,5	3	400	4 x 7,5	4 x 10	4 x 10	162	3"	3"
WDRIVE-4 MVS 1022/7,5	3	400	4 x 7,5	4 x 10	4 x 10	178	3"	3"

WDRIVE-4 MVS 1603/3	3	400	4 x 3	4 x 4	4 x 18	32	DN100	DN100
WDRIVE-4 MVS 1604/4	3	400	4 x 4	4 x 5,5	4 x 18	43	DN100	DN100
WDRIVE-4 MVS 1605/5,5	3	400	4 x 5,5	4 x 7,5	4 x 18	54	DN100	DN100
WDRIVE-4 MVS 1606/5,5	3	400	4 x 5,5	4 x 7,5	4 x 18	64	DN100	DN100
WDRIVE-4 MVS 1607/7,5	3	400	4 x 7,5	4 x 10	4 x 18	76	DN100	DN100
WDRIVE-4 MVS 1608/7,5	3	400	4 x 7,5	4 x 10	4 x 18	86	DN100	DN100
WDRIVE-4 MVS 1610/11	3	400	4 x 11	4 x 15	4 x 18	109	DN100	DN100
WDRIVE-4 MVS 1612/11	3	400	4 x 11	4 x 15	4 x 18	130	DN100	DN100
WDRIVE-4 MVS 1614/15	3	400	4 x 15	4 x 20	4 x 18	152	DN100	DN100
WDRIVE-4 MVS 1616/15	3	400	4 x 15	4 x 20	4 x 18	174	DN100	DN100

WDRIVE-4 MVS 2003/4	3	400	4 x 4	4 x 5,5	4 x 20	35	DN100	DN100
WDRIVE-4 MVS 2004/5,5	3	400	4 x 5,5	4 x 7,5	4 x 20	47	DN100	DN100
WDRIVE-4 MVS 2005/5,5	3	400	4 x 5,5	4 x 7,5	4 x 20	58	DN100	DN100
WDRIVE-4 MVS 2006/7,5	3	400	4 x 7,5	4 x 10	4 x 20	70	DN100	DN100
WDRIVE-4 MVS 2007/7,5	3	400	4 x 7,5	4 x 10	4 x 20	82	DN100	DN100
WDRIVE-4 MVS 2008/11	3	400	4 x 11	4 x 15	4 x 20	94	DN100	DN100
WDRIVE-4 MVS 2010/11	3	400	4 x 11	4 x 15	4 x 20	118	DN100	DN100
WDRIVE-4 MVS 2012/15	3	400	4 x 15	4 x 20	4 x 20	142	DN100	DN100
WDRIVE-4 MVS 2014/15	3	400	4 x 15	4 x 20	4 x 20	166	DN100	DN100

WDRIVE-4 MVS 3202/4	3	400	4 x 4	4 x 5,5	4 x 32	27	DN125	DN125
WDRIVE-4 MVS 3203/5,5	3	400	4 x 5,5	4 x 7,5	4 x 32	40	DN125	DN125
WDRIVE-4 MVS 3204/7,5	3	400	4 x 7,5	4 x 10	4 x 32	53	DN125	DN125
WDRIVE-4 MVS 3205/11	3	400	4 x 11	4 x 15	4 x 32	67	DN125	DN125
WDRIVE-4 MVS 3206/11	3	400	4 x 11	4 x 15	4 x 32	81	DN125	DN125
WDRIVE-4 MVS 3207/15	3	400	4 x 15	4 x 20	4 x 32	95	DN125	DN125
WDRIVE-4 MVS 3208/15	3	400	4 x 15	4 x 20	4 x 32	109	DN125	DN125

Model	Phase	Voltage (V)	Motor Power		Flow (m³/h)	Operating Pressure (mWC)	Diameter of Manifold	
			kW	HP			Suction	Discharge
WDRIVE-4 MVS 4202B/5,5	3	400	4 x 5,5	4 x 7,5	4 x 45	30	DN150	DN150
WDRIVE-4 MVS 4202/7,5	3	400	4 x 7,5	4 x 10	4 x 45	39	DN150	DN150
WDRIVE-4 MVS 4203/11	3	400	4 x 11	4 x 15	4 x 45	58	DN150	DN150
WDRIVE-4 MVS 4204/15	3	400	4 x 15	4 x 20	4 x 45	78	DN150	DN150

WDRIVE-4 MVS 6502B/7,5	3	400	4 x 7,5	4 x 10	4 x 64	26	DN200	DN200
WDRIVE-4 MVS 6502/11	3	400	4 x 11	4 x 15	4 x 64	40	DN200	DN200
WDRIVE-4 MVS 6503B/15	3	400	4 x 15	4 x 20	4 x 64	53	DN200	DN200

WDRIVE-4 MVS 8502B/11	3	400	4 x 11	4 x 15	4 x 90	28	DN200	DN200
WDRIVE-4 MVS 8502/15	3	400	4 x 15	4 x 20	4 x 90	40	DN200	DN200



EBITT EUROPE KFT

H-6782 Mórahalom, Szegedi út 108. Hungary Phone: +3662-280-926

Fax: +3662-280-927

export@ebitteurope.com

www.ebitteurope.com



**EBITTME PUMPS ENGINES VALVES & SPARE
PARTS TRADING CO. L.L.C.**

ALSUAIDI, Al Suwaidi Bldg, Al Murar - Deira

P.O. Box 453929 Dubai, UAE

emea@ebitteurope.com

+971 55-454 4187



**EBITT FINDUSTRIE (ZHE JIANG) INDUSTRIAL
ENGINEERING LIMITED COMPANY**

Hangzhou City, Zhejiang Province, China

info@ebitt.com.cn

+86 15168651662

**EBITT ASIA PACIFIC PTE LTD
(EAP Singapore)**

226 Jalan Eunos #04-128. Singapore 415869 Phone: (65) 98393745

info@ebitt-asiapac.com

EBITT TÜRKİYE

Koçullu Mah. Doğru Sok. No:6 34799 Çekmeköy / İstanbul

info@ebitt.com.tr

www.ebitt.com.tr